

Skylake & Kabylake Approved Memory V2.0

OEM Sales – February 2017

■ **Skylake Processors: DDR4-2133**

Memories DDR4-2400 can be installed, but Skylake processors support max. 2133MHz effective speed.


■ **Kabylake Processors: DDR4-2400**

Kabylake processors support full speed of DDR-2400 modules. Memories with DDR4-2133 are also supported.

■ DDR4-2133 / 2400 (CL15) UDIMM 4GB (w/o ECC)

- SK Hynix HMA451U6AFR8N-TF
- Samsung M378A5143DB0-CPB
- Samsung M378A5143EB1-CPB
- Micron MTA8ATF51264AZ-2G1A2
- Micron MTA4ATF51264AZ-2G3B*
- Samsung M378A5143EB2-CRC*
- Samsung M378A5244CB0-CRC*
- Samsung M378A5244BB0-CRC*
- SK Hynix HMA851U6AFR6N-UH*

**Memory modules
approved by Fujitsu**




* Memories DDR4-2400: They can be installed,
but Skylake processors support max. 2133MHz effective speed.

■ DDR4-2133 / 2400 (CL15) UDIMM 8GB (w/o ECC)

- SK Hynix HMA41GU6AFR8N-TF
- Samsung M378A1G43DB0-CPB
- Samsung M378A1K43BB1-CPB
- Samsung M378A1G43EB1-CPB
- Micron MTA16ATF1G64AZ-2G1A2
- Micron MTA8ATF1G64AZ-2G3B1*
- Samsung M378A1K43BB2-CRC*
- Samsung M378A1G43EB1-CRC*
- Samsung M378A1K43CB2-CRC*
- SK Hynix HMA81GU6AFR8N-UH*

**Memory modules
approved by Fujitsu**




* Memories DDR4-2400: They can be installed, but Skylake processors support max. 2133MHz effective speed.

■ DDR4-2133 / 2400 (CL15) UDIMM 16GB (w/o ECC)

- SK Hynix HMA82GU6MFR8N-TF
- Micron MTA16ATF2G64AZ-2G1A1
- Samsung M378A2K43BB1-CPB
- Micron MTA16ATF2G64AZ-2G3B1*
- Samsung M378A2K43BB1-CRC*
- SK Hynix HMA82GU6AFR8N-UH*

**Memory modules
approved by Fujitsu**

* Memories DDR4-2400: They can be installed,
but Skylake processors support max. 2133MHz effective speed.




■ DDR4-2133 / 2400 (CL15) UDIMM 4GB (ECC)

- SK Hynix HMA451U7AFR8N-TF
- Samsung M391A5143EB1-CPB
- Micron MTA9ASF51272AZ-2G3B*
- SK Hynix HMA451U7AFR8N-UH*
- Samsung M391A5143EB1-CRC*

**Memory modules
approved by Fujitsu**


* Memories DDR4-2400: They can be installed,
but Skylake processors support max. 2133MHz effective speed.



■ DDR4-2133 / 2400 (CL15) UDIMM 8GB (ECC)

- Samsung M391A1G43DB0-CPB
- Samsung M391A1G43EB1-CPB
- SK Hynix HMA41GU7AFR8N-TF
- SK Hynix HMA81GU7MFR8N-TF
- Samsung M391A1G43EB1-CRC*
- Micron MTA18ASF1G72AZ-2G3B1*
- Micron MT9ASF1G72AZ-2G3B1*
- SK Hynix HMA81GU7AFR8N-UH*
- Samsung M391A1K43BB1-CRC*

**Memory modules
approved by Fujitsu**




* Memories DDR4-2400: They can be installed, but Skylake processors support max. 2133MHz effective speed.


■ DDR4-2133 / 2400 (CL15) UDIMM 16GB (ECC)

- Samsung M391A2K43BB1-CPB
- SK Hynix HMA82GU7MFR8N-TF
- Micron MTA18ASF2G72AZ-2G3A1*
- Micron MTA18ASF2G72AZ-2G3B1*
- Samsung M391A2K43BB1-CRC*
- SK Hynix HMA82GU7AFR8N-UH*

**Memory modules
approved by Fujitsu**



* Memories DDR4-2400: They can be installed,
but Skylake processors support max. 2133MHz effective speed.



FUJITSU

shaping tomorrow with you